his identity. He was undoubtedly wintering where I saw him in the sheltered scrub-pine wood. The afternoon that I saw him there were several inches of snow on the ground and the thermometer was way below freezing.—D. LEET OLIVER, Concord, N. H.

The Carolina Wren at Lake Forest, Illinois.—On the morning of August 13, 1900, I was awakened at five o'clock by the loud, ringing whistle of this bird (*Thryothorus Iudovicianus*) just outside my window. It is a curious fact that the songs of our familiar birds do not rouse me when I am asleep but a strange voice will waken me at once. The Carolina Wren I had known well in the Southern States, but never here in Lake Forest, on Lake Michigan, thirty miles north of Chicago.

From August to October 10 I had heard his loud, scolding, cack, cack, and his whistled chee-o-kee chee-o-kee chee-o-kee at intervals, but did not see the bird till that day, when I had a fine view of him. I heard him up to October 13 that year. June 27, 1901, he was here again, or perhaps it was another, but I think it was the same one. August 9 my notes say: "He has been here at frequent intervals since June 27, and several times I have seen two birds." Whether they were a pair or not I do not know. November 24 he was whistling again, and this morning December 17, his scolding note was heard just outside my door, where he was sitting on our woodbine, jerking his tail, and scolding at the bitter cold with his usual animation. At times, however, he would sit on his feet to keep them warm, for it was only 10 above zero, and it had been —130 two days before. He stayed on the woodbine about ten minutes, and seemed to be stripping a little bark off of it to eat. There were no berries where he was. It looks as if he were going to winter here and next summer I shall be on the watch for a nest .- ELLEN DRUMMOND FARWELL, Lake Forest, Ill.

Eastern Bluebird at Cheyenne, Wyo.— I was greatly surprised at early dawn on Nov. 14 last, to hear the well-known notes of the Eastern Bluebird (Sialia sialis) which I had neither seen nor heard for many years. I discovered the author of them sitting upon the electric light wire not more than twenty feet from my house. The bird proved to be a male in typical winter plumage. On Nov. 24, ten days later, I secured another male. Both of these birds had been eating the blue berries of the woodbine which covers the front of my home. These two specimens are the first actual captures of the bird by me in Wyoming, and may be the first records for the State.— Frank Bond, Cheyenne, Wyo.

Michigan Bird Notes, 1901.— Pandion haliaëtus carolinensis. AMERICAN OSPREY.—On Sept. 18, 1901, I received in the flesh a female, young-of-the-year, of this species. It was shot by Mr. Edwin Avery at Waterford, Oakland County. Although a common bird in certain parts of Michigan, this is, I believe, the first record for Oakland County.

Aquila chrysaëtos. Golden Eagle.—An adult male of this species was shot in Eton County on August 12. Although not a new bird for this locality, it is so rare that I believe it worth recording. This specimen is in the collection of Mr. Charles Freiburger of this city.

Strix pratincola. American Barn Owl.— This species is exceedingly rare in all parts of Michigan. I have, however, two records which have never been given before, one of a female shot near the marshes at the lower end of the Detroit River, now in the possession of Mr. C. R. Champion, a taxidermist. The other is a male in the possession of Mr. L. J. Eppinger of this city, also a taxidermist. The latter specimen was shot at Port Mouillee on Oct. 29.

Nyctala acadia. SAW-WHET OWL.— An adult male of this species was shot and given to me by a farmer in Grosse Point Township on Dec. 26. As I can find no previous record of this species I believe it new for Wayne County, the nearest record which I can find being a set of eggs recorded by Dr. W. C. Brownell (O. & O., Vol. XVI, p. 22) taken in Oakland County by W. A. Davison of this city. This skin is in my collection.

Nyctea nyctea. Snowy Owl. — This rare owl has been commoner in southern Michigan this winter than it has been in the past ten years, local taxidermists having received about fifteen.— Alex. W. Blain, Jr., Detroit, Mich.

Bird Notes from Long Island, N. Y.—Seiurus motacilla. At Cold Spring Harbor, April 13, 1901, I secured a fine male Louisiana Water Thrush. The specimen is now in the collection of the Museum of the Brooklyn Institute.

Seiurus noveboracensis. A pair of Water Thrushes made their home during the past summer about the lower pond at Cold Spring Harbor. I saw them every week or two for the entire summer but cannot be positive that they nested there, although on one occasion (June 15) I felt sure that I saw them carrying nesting material. They were at all times very shy and wild.

Vireo philadelphicus. September 14, 1900, I secured a specimen of this rare bird (for Long Island). It was one of the hurrying throng of thousands of migrants seen on that morning and was not recognized until later in the day when it was made up into a skin. The specimen is now in the collection of the Museum of the Brooklyn Institute.

Geothlypis agilis. The Connecticut Warbler was unusually abundant during the latter part of September, 1900, in the vicinity of Jamaica South. Ten specimens were taken by the writer and many were seen. — Geo. K. Cherrie, Museum of the Brooklyn Institute, Brooklyn, N. Y.

Winter Notes from Louisiana. — Observation during the winter months at New Iberia, Louisiana, has shown that there are some substantial differences between the winter avifauna there and that at New Orleans. New Iberia is 125 miles west of New Orleans, and is in a section of the